

CUSTOMER INFORMATION
SERIAL NO.: 000000000000

 COMPANY: _____
 ATTENTION: _____
 ADDRESS: _____


 DATE: _____
 CONTACT NO.: _____
 EMAIL: _____

VEHICLE DETAILS

 BRAND / TYPE: XCMG
 BODY: TRUCK MOUNTED CRANE
 MODEL: MSQS250TL-4

 SUITED TRUCKS: Heavy Duty, 10 wheels, GVW: 25T & above
 LIFT CAPACITY: 10 Tons
 STATUS: BRAND NEW

TRUCK MOUNTED CRANE (10 TONS) W/ OUTRIGGERS

	CASH			
	SRP	₱2,268,000.00		
	3 YEARS LTO	FREE		
	OTHERS	₱		
	TOTAL	₱2,268,000.00		
	FINANCING		DETAILS	
	DOWN PYMT.	₱	LOANABLE AMT.	₱
	INSURANCE	₱	NO. OF MONTHS	
	CMF	₱	MONTHLY PYMT.	₱
	3 YEARS LTO		TOTAL DP	₱
TOTAL	₱			

TERMS & VALIDITY
TERMS OF PAYMENT:

- Cash, Online Cash Deposit, or Check (Subject to Bank Clearing).
- Financing Standard (30% Down Payment, Loan Term up to 36 months).
- Deposit / Down payment is valid for 15 days.

VALIDITY:

- Prices are subject to change without prior notice.

WARRANTY

- **1 year** for XCMG Truck Mounted Crane.
- The Equipment has undergone **Initial & Compulsory Maintenance** at an Autokid Service Care center at **3 Months** after purchase or delivery.
- The Equipment has undergone **Regular/Periodic Maintenance** at an Autokid Service Care center every **6 Months**.
- The use has strictly followed requirements specified in the operation manual.
- Equipment has not been modified or tampered in anyway.

PREPARED BY: _____

AUTHORIZED SIGNATORY: _____

CLIENT CONFORME: _____



XCMG TRUCK MOUNTED CRANE (10 TONS)


Type	10 Tons
Crane Model	MSQS250TL-4
Max Lifting Moment	250 kN.m
Max Lifting Capacity	10000 kg at 2.5 m
Max Hook Height	15.5 m
Max Working Radius	13.5 m lift 1300 kg
Boom Length	Min 5.3 m ~ Max 13.85 m
Boom Type / Sections	Hexagon / 4
Elevation Range	1° to 75°
Slewing Angle	360° Continuous
Outriggers	Hydraulic Horizontal and Vertical Extension, Rectangle Tube Protected
Outriggers Span	5624 mm
Operation	Top Seat
Max Pressure of Hydraulic System	26 Mpa
Rated Flow of Hydraulic System	63+40 L/min (twin pump)
Oil Tank Capacity	200 L
Recommended Power	45 kw
Installation Space	1200 mm
Crane Weight	4087 kg
Suitable Trucks	Heavy Duty, 10 Wheels, GVW: 25 Tons and above

Loading chart

Rated load(kg)		Working radius(m)													
		2.5	3.0	3.5	4.0	5.0	6.0	7.0	8.0	9.0	10	11	12	13	13.5
Boom length(m)	5.30	10000	8300	7150	6250	5600 (4.9m)									
	8.15	6500	6500	5900	5200	4150	3500	3000	2500 (7.8m)						
	11.3	5200	5200	5150	4520	3600	3000	2550	2250	2300	1800	1600 (10.9m)			
	13.85		4000	4000	3950	3200	2700	2350	2100	1850	1700	1550	1400	1300	1300

