

## XCMG TRUCK MOUNTED CRANE (5 TONS)




Type	5 Tons
Crane Model	KSQS125TL-4
Max Lifting Moment	125 kN.m
Max Lifting Capacity	5000 kg at 2.5 m
Max Hook Height	12.4 m
Max Working Radius	11 m lift 500 kg
Boom Length	Min 3.94 m ~ Max 11.2 m
Boom Type / Sections	Hexagon / 4
Elevation Range	1° to 78°
Slewing Angle	360° Continuous
Outriggers	Hydraulic Horizontal and Vertical Extension, Rectangle Tube Protected
Outriggers Span	5100 mm
Operation	Ground control on both sides
Max Pressure of Hydraulic System	22 Mpa
Rated Flow of Hydraulic System	63 L/min
Oil Tank Capacity	90 L
Recommended Power	26 kw
Installation Space	860 mm
Crane Weight	2100 kg
Suitable Trucks	Medium Duty, 6 Wheels, GVW: 12 Tons – 16 Tons

### Loading chart

Working radius(m) Rated load(kg)		2.5	3	3.5	4	5	6	7	8	9	10	11
		Boom length(m)	3.94	5000	4000	3350	3100 (3.72m)					
6.36	3000		2880	2650	2380	2000	1650 (6.14m)					
8.78	2200		2200	2100	1900	1680	1450	1300	1190	1120 (8.56m)		
11.2	1600		1600	1550	1500	1350	1100	915	775	670	580	500 (10.98m)

### Loading Diagram



**Profile  
Drawing**

